

C9 copolymer resin

كوثر شيمي
Kosar Shimi
+9821 - 43462000
info@kosar.co
www.kosar.co

Brief introduction: This product is made by C9 cracking, through catalytic , polymerization . It's a kind of granular solid with color from light yellow to oyster white. It has the properties of good heat stability, intersolubility, viscosity, light stability, water resistance and very good chemical stability over acid and alkali.

Applications: The product is mainly used as fertilizer in paint, rubber, adhesives, printing ink industries.

Packing, storage and transportation: This product is packed in three-in-one kraft paper. Its net weight is 25kg per sack. The packing can be changed by client's requirements. It can be transported by truck , train, ship etc. But it must avoid sun-scorched, rain-drenched and damp , hook. Do not store or transport with alkali or oxidant. This product is a non-dangerous chemical. It should be in ventilated, cool and dry places, for one year storage.

Products Specification :

No.	Item	Index					
		SP-90	SP-100	SP-110	SP-120	SP-130	SP-140
1	Softening point, °C	80-90	90-100	100-110	110-120	120-130	130-140
2	Color, (Ga#)	5-10	5-10	5-10	5-10	5-10	5-10
3	Acid value, mg KOH/g ≤	0.3	0.3	0.3	0.3	0.3	0.3
4	Bromine value, g/100g ≤	35	35	35	35	35	35
5	density(20°C), g/cm ³	0.99-1.03	0.99-1.03	0.99-1.03	0.99-1.03	0.99-1.03	0.99-1.03
6	ash, % ≤	0.04	0.04	0.04	0.04	0.04	0.04