

Excellence in Oleochemicals



Product Specification

56-81-5

Glycerine USP

CAS No.:

<mark>کو ثر شیـمی</mark> Kosar Shimi +9821 - 43462000 info@kosar.co www.kosar.co

## Standard

|          | Fest Description   |         | Lim                      | i+    | Reference Test Method |
|----------|--|---------|--------------------------|-------|-----------------------|
|          |  |         | Min                      | Max   | Reference rest Method |
| MALAYSIA | Assay  | %       | 99.0                     | 101.0 | USP                   |
|          | Colour/ 1/ S   | -       | Pass                     |       | USP                   |
|          | * Identification A 8, 9                                      | -       | Pass                     |       | USP                   |
|          | Specific Gravity 25/25°C                                     | ~ -     | 1.249                    |       | USP                   |
|          | * Residue on Ignition  | ) 7 %   |                          | 0.01  | USP                   |
|          | Water  | %       |                          | 5.0   | USP                   |
|          | Chloride   | ppm     |                          | 10    | USP                   |
|          | * Sulfate  | opm     |                          | 20    | USP                   |
|          | * Heavy Metals   | ppm     |                          | 5     | USP                   |
|          | * Limit of Chlorinated Compounds $^{igsacleve}$              | ( ppm/) |                          | 30    | USP                   |
|          | Fatty Acids & Esters, ml 0.5N NaOH                           |         | $\rangle\rangle$         | 1.0   | USP                   |
|          | Related Compounds * Individual Impurities * Total Impurities | %       | $\overline{\mathcal{T}}$ |       | USP<br>USP            |
|          |  |         | × (                      |       |                       |

Disclaimer : All information and data discussed herein are correct at the time of analysis and compilation. Safety information regarding these products is contained in the Material Safety Data Sheet. Users of these products are urged to study thoroughly before using this information. The manufacturer shall not be liable in any manner whatsoever for direct, indirect, incidental, consequential loss, income or profit, punitive damages and/or claims of third parties resulting from the use of, or inability to use the information.

The information contained in this document, including product data and specification, is subject to change by KLK OLEO without notice at any time as a result of new revision published by pharmacopeia authority.

\* Parameter is not tested on every batch & result is determined statistically. Pack Sizes

Drums, Steel or HDPE

Bulk, delivered by road tanker, iso tank & bulk vessel

Pack size is country specific. Please contact us for further details.